

# AirMagnet Survey Express 10.3.1

# Release Notes

July 2021

---

## Table of Contents

▪ Introduction .....	1
▪ Special Notes .....	1
▪ New Features in v10.3.1 .....	2
▪ Bug Fixes .....	3
▪ Known Issues .....	3
▪ System Requirements .....	3
▪ Supported Site Map Image Formats.....	4
▪ Guideline for Use of Wi-Fi Adapters .....	4
▪ Limitations of Other Network Adapters.....	4
▪ Release History.....	5
▪ Technical Support .....	5

---

## Introduction

AirMagnet Survey Express is a powerful, easy-to-use WLAN site survey tool that empowers WLAN professionals with everything they need to plan and survey any 802.11 a/b/g/n/ac/ax wireless network.

This *Release Notes* highlights issues addressed in the 10.3.1 release in addition to the new features. It also provides basic instructions and important notes regarding the installation and operation of the software.

---

## Special Notes

- You must uninstall any previous version of AirMagnet Survey Express using the Control Panel before installing the released version of Survey Express 10.3.1. Do not use the 'Repair' function. Using Repair has resulted in unreliable performance in some versions of Windows.
- Note when installing on Windows 8, 8.1 or 10, it is highly recommended to install all available Microsoft updates before installing and running AirMagnet Survey Express.
- Survey Express 8.8 and later releases use the *.svdx* file extension for survey data files, which is different from the *.svd* file extension used in all previous releases. **It is important to note that you cannot open .svdx files in any previous version of Survey Express. If you've done a survey using Survey Express v8.8 or later, you MUST open the survey data (.svdx) file in Survey Express 8.8 or later.** You can still open or import survey projects and data files saved in *.svd* format from earlier versions of the application. However, when you open an *.svd* file for the first time in Survey Express 8.8 or later, the application will first convert the file to the new *.svdx* file format. The conversion may take longer

than just opening a file. You can view the progress of the conversion from the progress bar at the bottom of the screen.

- For AP-on-a-stick surveys performed in previous versions of Survey Express, in which multiple surveys were performed using the same AP, NetAlly recommends merging the survey files in Survey Express 8.7.\* first and then converting them to .svdx format in Survey Express 9.1 or later. This preserves AP alias names as unique for each source survey.
- When using any of the USB wireless adapters, you may need to re-create the wireless profiles when plugging the same adapter into a different USB port. This is because wireless profiles are stored based on the port, not the adapter itself.
- To use 802.11ac USB adapters with this AirMagnet Survey Express 10.3.1 release, you must have the following versions of the Microsoft Windows operating system:
  - ✓ Microsoft Windows 8 Pro/Enterprise 64-bit
  - ✓ Microsoft Windows 8.1 Pro/Enterprise 64-bit
  - ✓ Microsoft Windows 10 Pro/Enterprise 64-bit
- When performing AP-on-a-stick active surveys with an 802.11ac/ax adapter, NetAlly recommends the following configuration scenarios:

Scenario	AP Configuration	Gateway Configuration	Adapter Configuration
1	DHCP server	Yes (using AP's IP address)	DHCP
2	DHCP server	No, not configured	DHCP
3	Not configured as DHCP server; static IP address assigned to AP	No, not configured	Static IP Address (within AP's IP address range)

---

## New Features in v10.3.1

- AutoCAD File Support Improvements .....2

### AutoCAD File Support Improvements

This release includes multiple improvements to the way AirMagnet Survey PRO handles AutoCAD files. It adds support for newer versions of CAD drawings and improves the performance of the Automatic Wall Extraction tool.

Please be aware of the following while using this enhanced functionality:

- The new improvements do not apply to the extract to AutoCAD option (to be included in a future release).

---

## Bug Fixes

This section covers the defects that have been fixed in this release.

### Survey 10.3.1 Release

Defect ID	Description
173426405	Create CAD failed error.
177292399	Multiple user guide updates and corrections.

---

## Known Issues

This section documents the major known issues with this AirMagnet Survey Express 10.3.1 release.

Defect ID	Description
170134584	User interface issues with high resolution displays. <b>Workaround:</b> If running a 4K display on Windows 10 build 1803 or higher, do the following: <ul style="list-style-type: none"><li>▪ Navigate to the install folder: C:\Program Files (x86)\AirMagnet Inc\AirMagnet Surveyor</li><li>▪ Right-click the file "Surveyor.exe" and select "Properties"</li><li>▪ Select the "Compatibility" tab</li><li>▪ Select the option to "Change high DPI settings"</li><li>▪ Enable the "Override high DPI scaling behavior"</li><li>▪ Select "Scaling performed by: System"</li><li>▪ Click "OK" on all open windows to apply changes</li></ul> <b>Note:</b> If you do not find this setting, either you are not on the 1803 build or do not have a 4K monitor. If that is the case lower the display resolution to 1920 x 1080.
170194528	Wi-Fi Card Inactive warning message is not displayed.

---

## System Requirements

### Laptop/Notebook PC/Tablet PC

- Operating Systems: Microsoft Windows 8 Pro/Enterprise 64-bit, Microsoft Windows 8.1 Pro/Enterprise 64-bit, or Microsoft Windows 10 Pro/Enterprise 64-bit.
- Intel® Core™ 2 Duo 2.00 GHz (Intel® Core™ i5 or higher recommended).
- 4 GB memory or higher.
- 800 MB free HDD or SSD space.
- AirMagnet-supported wireless network adapter(s).
- USB port for external adapter use.

### Apple® MacBook® Pro

- Operating Systems: MAC OS X v10.9 or higher running a supported Windows OS (as noted under the Laptop/Notebook PC/Tablet PC section) using Boot Camp®.
- Intel®-based CPU 2.0 GHz or higher.
- 4 GB memory or higher.

- 800 MB free HDD or SSD space.
- USB port for external adapter use.
- AirMagnet-supported wireless network adapter(s).

---

## Supported Site Map Image Formats

.bmp, .dib, .dwf, .dwg, dxf, .emf, .gif, vsd, .jpg, .wmf, .vdx, and .png.

---

## Guideline for Use of Wi-Fi Adapters

AirMagnet Survey Express requires that a Wi-Fi adapter be installed on the same computer running the application to capture Wi-Fi data.

AirMagnet mobile products categorize Wi-Fi adapters into the following types:

- **Preferred Adapters:** These adapters have been tested by AirMagnet and are recommended for use with AirMagnet products. Drivers have been customized for extended feature support. For a complete, up-to-date listing of AirMagnet Preferred wireless adapters, visit <https://www.netally.com/products/airmagnet-survey-pro/#SupportedAdapters>.
- **Other Adapters:** These adapters can be used with AirMagnet Survey Express but have not been tested by AirMagnet. Drivers have not been customized, will provide limited features, and could provide inaccurate data.

**Note:** When installing Intel® and USB adapters, it is important that you uncheck the option to install the adapter's client utility in addition to the driver software.

---

## Limitations of Other Network Adapters

Any 802.11 adapter supported by Windows other than the Preferred Adapters falls into the Other network adapters category. They can be used with AirMagnet Survey Express to perform a survey but have not been tested by AirMagnet. These adapters drivers have not been customized, provide limited feature support, and could provide inaccurate information. **It is important to note that NetALLY is not responsible for the quality of the test results collected using these adapters.**

The following are noted limitations of generic adapters in AirMagnet Survey Express.

- No ability to scan specific channels: all channels are scanned. There is no Scan or 802.11 tab under the **File>Configure** menu.
- No noise or signal-to-noise ratio (SNR) measurements.
- Measured PHY data rates in the uplink and downlink directions are not separated. Only a single PHY data rate for the connection is reported.
- No packet retries and loss measurements on active and iPerf surveys.
- iPerf throughput performance may vary, depending on the model of the generic adapter in use.
- Limitations in the wireless channels that they scan: They may only be able to scan channels that are approved for wireless use in a specific country, and unable to scan channels assigned as Dynamic Frequency Selection (DFS) channels.
- Only one 802.11ac adapter can be used when utilizing multiple adapters. Refer to "Utilizing Multiple Adapters" in the *AirMagnet Survey Express User Guide*.

- There is no roaming control for active and iPerf surveys.
- Due to the inability to disable roaming on the adapter, only the “by SSID” (not by AP) method is available for active and iPerf surveys.

---

## Release History

Release Month	Release Version
07/2020	AirMagnet Survey Express 10.0.0
12/2020	AirMagnet Survey Express 10.1.0
01/2021	AirMagnet Survey Express 10.2.0
05/2021	AirMagnet Survey Express 10.3.0
07/2021	AirMagnet Survey Express 10.3.1

---

## Technical Support

If you need help with this AirMagnet Survey Express 10.3.1 release, contact NetAlly, as follows:

Contact Venue	Description
<b>Web:</b>	<a href="https://www.netally.com/support/technical-support/">https://www.netally.com/support/technical-support/</a>
<b>Phone:</b>	1-844-878-2559 or 1-719-755-0770 and select Option 2

**Note:** International direct dial phone numbers are available at <https://www.netally.com/contact-us/>.